This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






Figure 1

Atty Docket 18-01




Figure 1 continued

This day may

. If you give, wing viving print, gives, the second green green, gives, the second green green, gives, the second green green, gives the second green green

Atty Docket 18-01




Figure 2

Plant-derived Molecules and Genetic Sequences Encoding Same and U Therefor

Anderson, et al.

Atty Docket 18-01





Figure 3






Figure 4

The Book that and their heart that the the thing all the thing their the

gride since gride gride gride districtions of the grand of the stand of the grand o

Plant-derived Molecules and Genetic





Figure 5

Plant-derived Molecules and Genetic Sequences Encoding Same and U Therefor

Anderson, et al.

Atty Docket 18-01



| | Peak A |
|---------|---|
| Protein | NaPdf1 |
| | 30.7 |
| • • • | RExKTESN |
| | 5296.0 |
| | 5296.7 |
| | Protein % Acetonitrile N-terminal sequence Predicted mass (Da) Observed mass (Da) |

Figure 6






Figure 7

Plant-derived Molecules and Genetic Sequences Encoding Same and University Therefor

Anderson, et al. Atty Docket 18-01




Figure 8

Plant-derived Molecules and Genetic Sequences Encoding Same and Therefor

Anderson, et al.

Atty Docket 18-01

10/20

| NaPdf1 | (<400>18) MARSLCFMAFAILAMMLFVAYEVQA-RECKTESNTFPGICITKPF |
|--|---|
| FST | (<400>20) MARSLCFMAFAILAMMLFVAYEVQA-RECKTESNTFPGICITKPF |
| TTP3 | (<400>21) MARSIFFMAFLVLAMMLFVTYEVEAQQICKAPSQTFPGLCFMDSS |
| NTS13 | (<400>22) MANSMRFFATVLLIALLVTATEMGPMTIAEA-RTCESQSHRFKGPCSRDSN |
| PPT | (<400>23) MGRSIRLFATFFLIAMLFLSTEMGPMTSAEA-RTCESQSHRFHGTCVRESN |
| ATPIIIa | (<400>24) MKLSMRLISAVLIMFMIFVATGMGPVT-VEA-RTCESQSHRFKGTCVSASN |
| NaPdfļ FST TTP3 NTS13 PPT ATPIIIa | CRKACISEKFTDGHCSKILRRCLCTKPCVFDEKMTKTGAEILAEEAKTLAAALLEEEIMDN CRKACISEKFTDGHCSKLLRRCLCTKPCVFDEKMIKTGAETLVEEAKTLAAALLEEEIMDN CRKYCIKEKFTGGHCSKLQRKCLCTKPCVFDKISSEVKA-TLGEEAKTLSEVVLEEEIMME CATVCLTEGFSGGRCPWIPPRCFCTSPC |

Figure 9

Atty Docket 18-01

11/20

| Nicotiana alata | NaPdfl | -REC-KTESNTFP-GICITKPPCRKACIS-EKFTDGH-CSKILRRCLCTKPC- | (<400>8) |
|------------------------|---------|--|-----------|
| Nicotiana tabacum | FST | -REC-KTESNTFP-GICITKPPCRKACIS-EKFTDGH-CSKLLRRCLCTKPC- | (<400>25) |
| lentum | Ë | -QIC-KAPSQTFP-GLCFMDSSCRKYCIK-EKFTGGH-CSKLQRKCLCTKPC- | (<400>26) |
| Solanum tuberosum | P322 | -RHC-ESLSHRFK-GPCTRDSNCASVCET-ERFSGGN-CHG-F-RRRCFCTKPC- | (<400>27) |
| Petunia inflata | PPT | -RTC-ESQSHRFH-GTCVRESNCASVCQT-EGFIGGN-CRA-F-RRRCFCTRNC- | (<400>28) |
| Glycine max | SEGO | -RVC-ESQSHGFH-GLCNRDHNCALVCRNE-G-FSGGRCKG-F-RRRCFCTRIC- | (<400>29) |
| Hordeum vulgare | γ1-н | -RIC-RRRSAGFK-GPCVSNKNCAQVCMQE-G-WGGGNCDGPLRRCKCMRRC- | (<400>30) |
| Sinapis alba | M2A | POKIC-ORPSGIMS-GVCGNNNACRNQCINLEKARHGS-CNYVFPAHKCICYFPC- | (<400>31) |
| Solanum tuberosum | PTH-St1 | -RNC-ESLSHRFK-GPCTRDSNC | (<400>32) |
| Raphanus sativus | Rs-AFP1 | POKLC-ERPSGTWS-GVCGNNNACKNQCINLEKARHGS-CNYVFPAHKCICYFPC- | (<400>33) |
| Raphanus sativus | Rs-AFP2 | PQKLC-QRPSGTWS-GVCGNNNACKNQCIRLEKARHGS-CNYVFPAHKCICYFPC- | (<400>34) |
| Sinapis alba | M1 | POKIC-ERPSGIWS-GVCGNNNACKNQCINLEKARHGS-CNYVFPAHKCICYFPC- | (<400>35) |
| Sinapis alba | М2В | POKLC-ARPSGTWSSGNCRNNNACRNFCIKLEKSRHGS-CNIPFPSNKCICYFPC- | (<400>36) |
| Triticum turgidium | 71-P | -KIC-RRRSAGFK-GPCMSNKNCAQVCQQE-G-WGGGNCDGPFRRCKCIRQC- | (<400>37) |
| Triticum turgidium | 72-P | -KVC-RQRSAGFK-GPCVSDKNCAQVCLQE-G-WGGGNCDGPFRRCKCIRQC- | (<400>38) |
| Vigna unguiculata | 10кра | -KTC-ENLVDTYR-GPCFTTGSCDDHCKNKEHLLSGR-CRDDVRCWCTRNC- | (<400>39) |
| Sorghum bicolor | SIa2 | -RVC-MGKSAGFK-GLCMRDQNCAQVCLQE-G-WGGGNCDGVMRQCKCIROCW | (<400>40) |
| Sorghum bicolor | SIa3 | -RVC-RRRSAGFK-GLCMSDHNCAQVCLQE-G-WGGGNCDGVIRQCKCIROCW | (<400>41) |
| Dalia merckii | Dm-AMP2 | -EVC-EKASKTWS-GNCGNTGHC | (<400>42) |
| Sorghum bicolor | Sial | -RVC-MKGSQHHS-PPCISDRLCSNECVKEEGGWTAGYCHLRYCRCQKAC- | (<400>43) |
| Pisum sativum | P1230 | -NTC-ENLAGSYK-GVCFGGCDRHCRTQEGAISGR-CRDDFRCWCTKNC- | (<400>44) |
| Aesculus hippocastanum | Ah-AMPI | ICNERPSQTWS-GNCGNTAHCDKQCQDWEKASHGA-CHKRENHWKCFCYFNC- | (<400>45) |
| Heuchera sanguinea | Hs-AFP1 | -KLC-DVPSGTWS-GHCGSSSKCSQQCKDREHFAYGGACHYQFPSVKCFCKROC- | (<400>46) |
| Dalia merckii | Dm-AMP1 | -ELC-EKASKTWS-GNCGNTGHCDNQCKSWEGAAHGA-CHVRNGKHMCFCYFNC- | (<400>47) |
| Pisum sativum | P139 | -NTC-EHLADTYR-GVCFINASCDDHCKNKAHLISGT-CHDWKCFCTONC- | (<400>48) |
| Clitoria ternatea | Ct-AMP1 | -NIC-ERASLTWT-GNCGNTGHCDTQCRNWESAKHGA-CHKRGN-WKCFCYFNC- | (<400>49) |
| | | | |

Figure 1(

and party party and the property of the party of the part

Atty Docket 18-01





Figure 11

Plant-derived Molecules and Genetic Sequences Encoding Same and U Therefor

Anderson, et al. Atty Docket 18-01






Figure 12

£=1

Atty Docket 18-01




Figure 12 continued

Atty Docket 18-01




Figure 13

Plant-derived Molecules and Genetic Sequences Encoding Same and U Therefor

Anderson, et al.

Atty Docket 18-01




Figure 14


Plant-derived Molecules and Genetic

Figure 15

Mean weight (mg)

Mean weight (1)

Days after egg hatch



H. punctigera bioassay with transgenic tobacco

The Hard Shall shall shall shall shall shall all the shall s

والما المسال المستر والأفر والقرار والمسار المسار المسار

H. armigera bioassay with transgenic tobacco


att gette give, weit treet tent that and the att

Heart thing that that the street that

Plant-derived Molecules and Genetic Sequences Encoding Same and Us Therefor

Anderson, et al.

Atty Docket 18-01






Figure 15 continued

Plant-derived Molecules and Genetic Sequences Encoding Same an Therefor

Anderson, et al.

1]

that there they follows the same that the sa

Atty Docket 18-01




Figure 16

and the stands of the stands o

the start that that the start that the

Atty Docket 18-01




Figure 17